

MA9 - Personal Alarm

Installation and Operating Instructions


These instructions should be retained in a safe place for future reference.

Kit Contents:

- 1 x Alarm Unit with Belt Clip
- 1 x Belt Clasp
- 1 x Instruction Leaflet

Tools and Equipment Required:

- No.0 Philips Screwdriver
- 1 x 9V PP3 (6LR61) Alkaline Battery



INTRODUCTION

The Personal Alarm is a battery powered portable personal/panic attack alarm. It is a small easily operated battery powered alarm which can fit into a handbag or pocket or clip onto a belt.

Safety: The use of ear protection is advisable when working in close proximity to the Siren due to the high sound level produced.

OPERATION

This alarm is not suitable for use in wet conditions.

Always ensure that batteries are fitted and in good condition.

To activate the alarm pull the wrist strap to remove the plug from the alarm. Replace the plug in the alarm to stop the siren.

Removing the Belt Clip:

The belt clip can be removed by turning the screw slot to a vertical position to release it for the alarm. Refitting is by the reverse procedure.

TESTING

It is recommended that the alarm is tested at regular intervals by removing the trigger pin and activating the alarm.

Note: A cloth can be used to cover the siren and reduce the sound output of the alarm during testing.

MAINTENANCE

The product may be cleaned with a soft damp cloth and then wiped dry. Do not use abrasive, solvent based or aerosol cleaners as this

may damage and/or discolour the product. Do not allow water to enter or attempt to clean inside the unit.

Batteries:


Remove batteries before storing the Alarm for extended periods. Do not allow batteries to corrode and leak as this may cause permanent damage to the product.

Replacement Battery: 1 x 9V PP3 (6LR61)
Alkaline Battery

Typical Life: up to 1 year

Do not fit rechargeable batteries.

At the end of their useful life the batteries should be disposed of via a suitable Recycling



Centre. Do not dispose of with your normal household waste. **DO NOT BURN.**

Fitting and Replacing Batteries:

- 1) To prevent the alarm activating while changing or fitting the batteries ensure that the trigger pin is fully inserted.
 - 2) Undo and remove two battery cover fixing screws
 - 3) Unclip the two snap clips on the bottom edge of the housing and remove the battery cover.
 - 4) Ensure the trigger pin is fully inserted to prevent the alarm activating as the battery is connected.
 - 5) Connect a new 9V PP3 (6LR61) Alkaline battery to the battery clip observing the correct polarity and fit into the battery compartment. Take care not to trap the cable
 - 6) Refit the battery cover and replace the fixing screws.
-

GUARANTEE

Novar ED&S undertakes to replace or repair at its discretion goods (excluding non rechargeable batteries) should they become defective within 2 years solely as a result of faulty materials and workmanship. Understandably if the product has not been installed, operated or maintained in accordance with the instructions, has not been used appropriately or if any attempt has been made to rectify, dismantle or alter the product in any way the guarantee will be invalidated.

The guarantee states Novar ED&S entire liability. It does not extend to cover consequential loss or damage or installation costs arising from the defective product. This guarantee does not in any way affect the statutory or other rights of a consumer and applies to products installed within the UK and Eire only.

If an item develops a fault within the first year, it should be returned to the point of sale with:

- 1) Proof of purchase.
- 2) A full description of the fault.
- 3) All relevant batteries (disconnected).

In the second year it should be returned direct to Friedland Technical Sales Services Department at the address shown below.

Friedland is a trademark of Novar ED&S.

HELPLINE

If you have any problems with your alarm, please call the Helpline on:

01268 563273

(Lines open 9.00am to 5.00pm, Monday to Friday)



Friedland, Novar Electrical Devices and Systems

The Arnold Centre, Paycocke Road, Basildon, Essex. SS14 3EA
www.friedlandsecurity.com